

## PUBLIKATIONSLISTE

### WISSENSCHAFTLICHE PUBLIKATIONEN

#### ORIGINALARBEITEN (PEER REVIEWED):

1. Boltshauser E., Steinlin M., Thun-Hohenstein L., Baenziger O., Pezzoli V., Martin E..  
Bildgebende Untersuchungen des Gehirnes bei blinden und sehbehinderten Kleinkindern.  
Klin. Mbl Augenheilk 1992; 200: 620-22.  
IF: 0.321
2. Baenziger O., Martin E., Willi U., Fanconi S., Real F., Boltshauser E.. Prenatal brain atrophy  
due to a giant vein of Galen malformation.  
Neuroradiology 1993; 35: 105-106.  
IF: 0.858
3. Baenziger O., Martin E., Good M., Largo R., Burger R., Fanconi S., Duc G., Buchli R.,  
Rumpel H., Boltshauser E.. Early pattern recognition in severe perinatal asphyxia: a prospective  
magnetic resonance imaging study.  
Neuroradiology 1993; 35: 437-442.  
IF: 0.858
4. Steinlin, M. Good M., Martin E., Baenziger O., Largo R. H., Boltshauser E.. Congenital  
hemiplegia: Morphology of cerebral lesions and pathogenic aspects from MRI.  
Neuropediatrics 1993; 24: 224-229.  
IF: 1.008
5. Baenziger O., Jaggi J.L., Mueller A.C., Morales C.G., Lipp A.E., Duc G., Bucher H.U..  
Cerebral blood flow in the preterm infant is affected by sex, mechanical ventilation and  
intrauterine growth.  
Pediatr Neurol 1994; 11: 319-324.  
IF: 1.078
6. Kuenzle Ch., Baenziger O., Martin E., Thun-Hohenstein L., Steinlin M., Good M., Fanconi S.,  
Boltshauser E., Largo R.. Prognostic value of early MR imaging in term infants with severe  
perinatal asphyxia.  
Neuropediatrics 1994; 25: 191-200.  
IF: 1.008
7. Baenziger O., Jaggi J.L., Mueller A. C., Morales C.G., Lipp A.E., Duc G., Bucher H.U..  
Regional differences of cerebral blood flow in the preterm infant.  
Eur J Pediatr 1995; 154: 919-924  
IF: 1.073

8. Müller A. M., Morales C., Briner J., Baenziger O., Duc G., Bucher H. U. Loss of CO<sub>2</sub>-reactivity of cerebral blood flow is associated with severe brain damage in mechanically ventilated very low birth weight infants.  
Eur J Paediatr Neurol 1997; 5/6: 157-163  
IF: New journal in „Journal citation reports“
9. Schubiger G., Stocker C., Baenziger O., Zimmermann H. Den bisherigen Tropfenlösungen überlegen? Mischmizellen-Vitamin-K1-Präparation zur Blutungsprophylaxe bei Säuglingen.  
Kinderärztliche Praxis 1997; 3: 166-169
10. Moenkhoff M, Schmitt B., Wohlrab G., Waldvogel K., Fanconi S., Baenziger O.. EEG-changes during inhalation with nitric oxide (NO) in the pediatric intensive care patient.  
Crit Care Med. 1998; 26: 1887-92  
IF: 3.173
11. Schwarz U., Baenziger O., Gerber A. Sedation und Analgesie im Kindesalter. Schweiz Med Wschr 1998; 128 1994-2002  
IF: 0.31
12. Wolf M., Baenziger O., Keel M., Dietz V., von Siebenthal K., Bucher H U. Testing near infrared spectrophotometry using a neonatal head phantom.  
SPIE 1998; 3566: 79-86
13. Wolf M, Keel M, Schenk D, Dietz V, von Siebenthal K, Baenziger O., Bucher HU. Comparison of absolute cerebral haemoglobin concentration in neonates measured directly and by the oxygen swing method both based on near infrared spectrophotometry.  
Adv Exp Med Biol 1998; 454: 125-129  
IF: New journal in „Journal citation reports“
14. Baenziger O., Müller A.M. Morales C, Jaggi J, Duc G., von Siebenthal K., Bucher H U. Cerebral blood flow and neurological outcome in the preterm infant.  
Eur J Pediatr 1999; 158: 138-143.  
IF: 1.073
15. Baenziger O. Moenkhoff M, Morales CG, Waldvogel K, Wolf M, Bucher H, Fanconi S. Impaired chemical coupling of cerebral blood flow is compatible with intact neurological outcome in neonates with perinatal risk factors. Biol Neonate 1999;75: 9-17  
IF: 0.634
16. Moenkhoff M., Baenziger O., Fischer J., Fanconi S. Alternative medicine in the pediatric ICU.  
Eur J Pediatr 1999; 158: 12-17  
IF: 1.073
17. Dietz V., Wolf M., Keel M., von Siebenthal K., Baenziger O., Bucher H U.. CO<sub>2</sub>-reactivity of cerebral blood volume in healthy term newborns.  
Biology of the Neonates 1999; 75: 85-90  
IF: 0.634

18. Keel M., Wolf M., Baenziger O., Dietz V., von Siebenthal K., Bucher H-U. Regional differences of cerebral hemoglobin concentration in preterm infants measured by near infrared spectrophotometry.

Technol Health Care 1999; 7: 63-73

IF: New journal in „Journal citation reports

19. Schubiger G., Stocker Ch., Baenziger O., Laubscher B., Zimmermann H. Oral vitamin K1 prophylaxis for newborns with a new mixed-micellar preparation of phylloquinone: three-year-experience in Switzerland.

Eur J Pediatr 1999; 158:599-602

IF: 1.073

20. Baenziger O., Waldvogel K., Ghelfi D., Arbenz U., Fanconi S. Can dopamine prevent the renal side effects of indomethacin - a prospective randomized clinical study.

Klin Pädiatr 1999; 211(6):438-41

IF: 0.297

21 Wolf M, Weber O, Keel M, Golay X, Scheidegger M, Bucher HU, Kollias S, Boesiger P, Baenziger O. Comparison of cerebral blood volume measured by near infrared spectroscopy and contrast enhanced magnetic resonance imaging.

Adv Exp Med Biol, 1999, 767-774

IF: 0.46

22 Wolf M, Keel M, Dietz V, von Siebenthal K, Bucher HU, Baenziger O. The influence of a clear layer on near-infrared spectrophotometry measurements using a liquid neonatal head phantom.

Phys Med Biol. 1999; 44:1743-53.

IF: 2.128

23 Weiss M, Baenziger O., Neff T, Fanconi S. Influence of line compliance on drug delivery rate during acute line loop formation.

Intensive Care Med 2000; 26: 776 -779

IF: 2.917

24 Teller J, Schwendener K, Wolf M, Keel M, Bucher HU, Fanconi S, Baenziger O. Continuous monitoring of liver oxygenation with near infrared spectroscopy during naso-gastric tube feeding in neonates. Schweiz Med Wochenschr 2000; 130:652-6.

IF: 1.162

25 Weiss M, Fischer J, Schulz G, Baenziger O. Do antisiphon valve reduce flow irregularities during vertical displacement of infusion pump systems. Anesth Intensive Care 2000; 28:680-83

IF: 0.777

26 Wolf M, Greisen G, Liem K D, Brun N C, Keel M, Baenziger O., von Siebenthal K, Bucher H U. Comparison of Cerebral Blood Flow, its Reliability and its CO<sub>2</sub>-Response in Neonates in

Three Centers: A Near-Infrared Spectrophotometry Study Prenatal Neonatal Med 2000; 5:329-335

IF: -

27 Schulz G, Fischer J, Baenziger O, Weiss M. Auswirkungen von Luftbläschen in der Infusionsspritze auf die Funktion von Spritzenpumpen

Anaesthesist 2000; 49:1018-23

IF: 0.982

28 Weiss M, Fischer J, Neff, Baenziger O. The effects of syringe plunger design on drug delivery during vertical displacement of syringe pumps Anaesthesia 2000;55: 1094-98

IF: 2.041

29 Weiss M, Schwarz U, Baenziger O. Low gastric luminal pCO<sub>2</sub> due to a malmanufactured tonometer catheter. Paediatr Anaesth 2000;10:684-5.

IF: 0.938

30 Wolf M, von Siebenthal K, Keel M, Dietz V, Baenziger O, Bucher HU. Tissue oxygen saturation measured by near infrared spectrophotometry correlates with arterial oxygen saturation during induced oxygenation changes in neonates. Physiol Meas. 2000; 21:481-91.

IF: 1.159

31 Buettiker V, Hug MI, Burger R, Baenziger O. Somatostatin: a new therapeutic option for the treatment of chylothorax. Intensive Care Med 2001; 27:1083-6.

IF: 2.917

32 Weiss M, Fischer J, Boeckmann M, Rohrer B, Baenziger O. Evaluation of a simple method for minimizing iatrogenic blood loss from discard volumes in critically ill newborns and children. Intensive Care Med 2001; 27:1064-72.

IF: 2.917

33 Weiss M, Fischer JE, Neff T, Hug MI, Baenziger O. Always flush the sampling port before flushing the arterial cannula in pediatric patients. Acta Anaesthesiol Scand 2001; 45:729-33.

IF: 1.68

34 Neff T, Fischer J, Fehr S, Baenziger O, Weiss M. Evaluation of the FASTSTART mode for reducing start-up delay in syringe pump infusion systems. Swiss Med Wkly 2001; 131:219-22.

IF: 1.162

35 Neff TA, Fischer JE, Schulz G, Baenziger O, Weiss M. Infusion pump performance with vertical displacement: effect of syringe pump and assembly type. Intensive Care Med 2001; 27:287-91.

IF: 2.917

36 Monkhoff M, Schwarz U, Gerber A, Fanconi S, Banziger O. The effects of sevoflurane and halothane anesthesia on cerebral blood flow velocity in children. Anesth Analg 2001; 92:891-6

IF: 2.014

37 Neff T, Fischer J, Fehr S, Baenziger O, Weiss M. Start-up delays of infusion syringe pumps. Paediatr Anaesth 2001; 11:561-5.

IF: 0.938

38 Schulz G, Weiss M, Bauersfeld U, Teller J, Haensse D, Bucher HU, Baenziger O. Liver tissue oxygenation as measured by near-infrared spectroscopy in the critically ill child in correlation with central venous oxygen saturation

Intensive Care Med 2002; 28: 184-9

IF: 2.917

39 Wolf M, von Siebenthal K, Keel M, Dietz V, Baenziger O, Bucher HU. Comparison of three methods to measure absolute cerebral hemoglobin concentration in neonates by near-infrared spectrophotometry. J Biomed Opt 2002; 7:221-7

IF: 3.541

30 Cornelius A, Fischer J, Frey B, Baenziger O, Gerber AC, Weiss M. Pressurised bag pump and syringe pump arterial flushing systems: an unrecognised hazard in neonates? Intensive Care Medicine 2002; 28: 1638-1643

IF: 2.917

41 Weiss M, Schulz G, Fasnacht M, Balmer C, Fischer J E, Gerber A C, Bucher HU, Baenziger O. Transcutaneously measured near-infrared spectroscopic liver tissue oxygenation does not correlate with hepatic venous oxygenation in children Can J Anesth 2002; 49:824-9

IF: 1.2

42 Frey B, Buettiker V, Hug M I, Waldvogel K, Gessler P, Ghelfi D, Hodler C, Baenziger O. Does critical incident reporting contribute to medication error prevention? Eur J Pediatr 2002; 161:594 –599

IF: 1.157

43 Ersch J, Baenziger O, Braegger Ch, Arbenz U, Stallmach T. An infant with pulmonary hypertension due to a congenital porto-caval shunt. Eur J Pediatr 2002; 161: 660–662

IF: 1.157

44 Gehring T, Widmer J, Baenziger O, Marti D. Quality of work and need for supervision among physicians and nurses of a pediatric intensive care unit. Clinical Child Psychology and Psychiatry 2002; 7: 595-608

IF: -

45 Weiss M, Fischer J, Boeckmann M, Freimueller R, Baenziger O. Eliminating discard volumes in neonatal and pediatric blood sampling from arterial catheters: A comparison of three simple blood-conserving aspiration techniques.

Pediatr Crit Care Med 2002 ; 3: 134-140.

IF: -

46 Weiss M, Balmer C, Cornelius A, Frey B, Bauersfeld U, Baenziger O. Arterial fast bolus flush systems used routinely in neonates and infants cause retrograde embolization of flush solution into the central arterial and cerebral circulation: *Can J Anaesth* 2003; 50: 386-91  
IF: 1.2

47 Benjelid K., Poblete B., Baenziger O., J.A. Romand. The effects of hypo thermic caardiopulmonary bypass on Doppler cerebral blood flow during the first 24 postoperative hours. *Interactive Cardiovascular and thoracic Surgery* 2003; 2: 46-52  
IF: -

48 Dullenkopf A., Frey B, Baenziger O., Gerber A. Weiss M Measurement of cerebral oxygenation state in anaesthetized children using the INVOS 5100 cerebral oximeter. *Paed Anaesth* 2003; 13:384-91  
IF: 0.938

49 Stocker M, Gessler P, Wolf R, Banzinger O. Fatal hypertensive encephalopathy in a child with association of multicystic kidney and renal artery stenosis. *Klin Padiatr* 2003; 215:205-7.  
IF: 0.431

50 Gessler P, Pfenninger J, Pfammatter JP, Carrel T, Baenziger O, Dahinden C. Plasma levels of interleukin-8 and expression of interleukin-8 receptors on circulating neutrophils and monocytes after cardiopulmonary bypass in children. *J Thorac Cardiovasc Surg* 2003; 126:718-25.  
IF: 3.319

51 Schubiger G, Berger TM, Weber R, Banziger O, Laubscher B. Prevention of vitamin K deficiency bleeding with oral mixed micellar phylloquinone: results of a 6-year surveillance in Switzerland. *Eur J Pediatr* 2003; 162:885-888  
IF: 1.157

52 Fischer JE, Seifarth FG, Baenziger O, Fanconi S, Nadal D. Hindsight judgement on ambiguous episodes of suspected infection in critically ill children: poor consensus amongst experts? *Eur J Pediatr* 2003; 162:840-3.  
IF: 1.157

53 Wolf M, Keel M, Dietz V, von Siebenthal K, Teller J, Bucher HU, Baenziger O. Abstract The influence of a clear layer on near infrared spectrophotometry: comparison of measurements in a liquid neonatal head phantom to infants in vivo. *Adv Exp Med Biol* 2003;530:75-84.  
IF: 0.46

54 Buettiker V, Hug MI, Baenziger O, Meyer C, Frey B. Advantages and disadvantages of different nasal CPAP systems in newborns. *Intensive Care Med* 2004; 30:926-30.  
IF: 2.917

55 Horisberger T, Harbarth S, Nadal D, Baenziger O, Fischer JE. G-CSF and IL-8 for early diagnosis of sepsis in neonates and critically ill children - safety and cost effectiveness of a new

laboratory prediction model: study protocol of a randomized controlled trial. Crit Care 2004; 8:R443-50.  
IF: 1.911

56 Weiss M, Schulz G, Teller I, Dullenkopf A, Kolarova A, Sailer H, Dillier CM, Bucher HU, Gerber AC, Baenziger O. Tissue oxygenation monitoring during major pediatric surgery using transcutaneous liver near spectroscopy infrared. Paediatr Anaesth 2004;14: 989-95.  
IF. 0.938

57 Bernet-Buettiker V, Ugarte MJ, Frey B, Hug MI, Baenziger O, Weiss M. Evaluation of a new combined transcutaneous measurement of PCO<sub>2</sub>/pulse oximetry oxygen saturation ear sensor in newborn patients. Pediatrics 2005;115: e64-68.  
IF: 3.781

58 Joho-Arreola AL, Bauersfeld U, Stauffer UG, Baenziger O, Bernet V. Incidence and treatment of diaphragmatic paralysis after cardiac surgery in children. Eur J Cardiothorac Surg 2005; 27:53-7  
IF: 1.465

59 Weiss M, Dullenkopf A, Kolarova A, Schulz G, Frey B, Baenziger O. Near-infrared spectroscopic cerebral oxygenation reading in neonates and infants is associated with central venous oxygen saturation. Paediatr Anaesth 2005;15:102-9.  
IF. 0.38

60 Käser K, Zandee J, Baenziger O, Goette J. Qualitätskonzepte zur Austrittsmedikation auf einer Neonatologie-Abteilung. Krankenhauspharmazie 2005; 26:48-53  
IF: -

61 Gessler P, Hohl V, Carrel T, Pfenninger J, Schmid ER, Baenziger O, Pretre R. Administration of Steroids in Pediatric Cardiac Surgery: Impact on Clinical Outcome and Systemic Inflammatory Response. Pediatr Cardiol 2005; 26:595-600  
IF: 0.581

62 Albisetti M, Schmutz M, Haas R, Eckhardt BP, Bauersfeld U, Baenziger O, Hug MI. Arterial thromboembolic complications in critically ill children. J Crit Care 2005; 20:296- 300  
IF: 1.01

63 von Siebenthal K, Keel M, Fauchere JC, Dietz V, Haense D, Wolf U, Helfenstein U, Baenziger O, Bucher HU, Wolf M. Variability of cerebral hemoglobin concentration in very preterm infants during the first 6 hours of life. Adv Exp Med Biol 2005; 566:91-7.  
IF:0.46

64. Wolf M, Keel M, Dietz V, von Siebenthal K, Hans-Ulrich B, Baenziger O. Do slow and small oxygen changes affect the cerebral cytochrome oxidase redox state measured by near-infrared spectroscopy? Adv Exp Med Biol 2006;578:245-50  
IF:0.46

65. Baenziger O, Stolkin F, Keel M, Von Siebenthal K, Fauchere J C, Das Kundu S, Dietz V, Bucher H U, Wolf M. The Influence of the Timing of Cord Clamping on Postnatal Cerebral Oxygenation in Preterm Neonates: A Randomized, Controlled Trial. *Pediatrics* 2007 119:455-9  
IF: 3.781
66. Hauri-Hohl A, Baenziger O, Frey B. Pneumomediastinum in the neonatal and paediatric intensive care unit. *Eur J Pediatr.* 2007 167:415-418  
IF: 1.157
67. Tschuppert S, Doell C, Arlettaz-Mieth R, Baenziger O, Rousson V, Balmer C, Prêtre R, Dodge-Khatami A. The effect of ductal diameter on surgical and medical closure of patent ductus arteriosus in preterm neonates: size matters. *J Thorac Cardiovasc Surg.* 2008;135:78-82  
IF: 3.319
68. Basek P, Bajrami S, Straub D, Moeller A, Baenziger O, Wildhaber J, Bernet V. The pulmonary outcome of long-term survivors after congenital diaphragmatic hernia repair. *Swiss Med Wkly.* 2008;138:173-9  
IF: 1.162
69. Gantenbein MH, Bauersfeld U, Baenziger O, Frey B, Neuhaus T, Sennhauser F, Bernet V. Side effects of angiotensin converting enzyme inhibitor (captopril) in newborns and young infants. *J Perinat Med* 2008;36:448-52.
70. Ersch J, Baenziger O, Bernet V, Bucher HU. Feeding problems in preterm infants of preeclamptic mothers. *J Paediatr Child Health.* 2008;44:651-5
71. Sieber M, Ullmann-Bremi A, Baenziger O, Spirig R. A challenge in spite of acceptance - how mothers of newborn babies with a "cleft" experience the transition from the hospital back home. *Pflege.* 2008;21:299-307.  
IF: -
72. Baenziger O, Keel M, Bucher HU, Wolf M. Oxygen extraction index measured by near infrared spectroscopy – a parameter for monitoring tissue oxygenation? *Adv Exp Med Biol* 2009; 645: 161-166  
IF: 0.46
73. Frey B, Ersch J, Bernet V, Baenziger O, Enderli L, Doell C. Involvement of parents in critical incidents in a neonatal-paediatric intensive care unit. *Qual Saf Health Care.* 2009 Dec;18: 446-9.
74. Mann C, Held U, Herzog S, Baenziger O. Impact of normal saline infusion on postoperative metabolic acidosis. *Paediatr Anaesth.* 2009 Nov;19:1070-7.  
IF: 0.38



75. Brotschi B, Baenziger O, Frey B, Bucher HU, Ersch J. Early enteral feeding in conservatively managed stage II necrotizing enterocolitis is associated with a reduced risk of catheter-related sepsis. J Perinat Med. 2009;37:701-5.

76. Merlani P, Verdon M, Businger A, Domenighetti G, Pargger H, Ricou B; STRESI+ Group. Burnout in ICU caregivers: a multicenter study of factors associated to centers. Am J Respir Crit Care Med. 2011 Nov 15;184:1140-6.

#### **CASE REPORTS UND RESEARCH LETTERS**

1. Baenziger O., Braegger C. P. , Fanconi S. Oral vitamin K prophylaxis for newborn infants: safe enough?

Lancet 1996; 348: 1456

IF: 17.49

2. Wolf M., Baenziger O., Keel M., Dietz V., von Siebenthal K., Bucher H U. Cerebral blood flow measurements by near infrared spectroscopy are valid in neonates.

J Cereb Blood Flow Metab 1998; 18: 698-700

IF: 5.952

3. Baenziger O., Bucher H. U.. Authority or evidence?

Eur J Pediatr 1999;158(8):686

IF: 1.073

#### **REVIEWARBEITEN:**

Trachsel D, Balmer C, Hug M, Prêtre R, Fasnacht M, Waldvogel K, Baenziger O.

Hypoplastisches Linksherzsyndrom.

Schweiz Med Forum 2004;4:757–763

Baenziger O, Bär W., Berger T. M. , Berner M., Cotting J., Frey B., Hammer J., Micallef J.P.,

Wagner B. (Interessengruppe Pädiatrische Intensivmedizin, Schweiz) Empfehlungen zur

Behandlung des akuten schweren Schädelhirntraumas bei Kindern und Jugendlichen.

Schweiz Med Forum 2006;6:393–39

Panchard MA, Baenziger O, Fuchs H, Haldi H, Oswald H. Empfehlungen für die Beurteilung der Tauchtauglichkeit beim Kind.

Pädiatrica 2006; 4: 10-14

Mann C, Baenziger O. Die Behandlung des Neugeborenen mit angeborener Zwerchfellhernie.

Schweiz Med Forum 2007;7:438–439

Ernährungskommission der Deutschen Gesellschaft für Kinder- und Jugendmedizin (DGKJ), Ernährungskommission, der Österreichischen Gesellschaft für Kinder- und Jugendheilkunde (ÖGKJ), Ernährungskommission der Schweizerischen Gesellschaft für Pädiatrie (SGP).

Empfehlungen zum Verzehr zuckerhaltiger Getränke durch Kinder und Jugendliche. Monatsschr Kinderheilkd 2008;156:484–487

Ernährungskommission der Deutschen Gesellschaft für Kinder- und Jugendmedizin (DGKJ)  
Ernährungskommission der Österreichischen Gesellschaft für Kinder- und Jugendheilkunde  
(ÖGKJ) Ernährungskommission der Schweizerischen Gesellschaft für Pädiatrie (SGP)  
Empfehlungen zu Prä- und Probiotika in Säuglingsanfangsnahrungen. Monatsschr Kinderheilkd  
2009; 157:267–270

#### **BUCHBEITRÄGE:**

1. Knecht B., Baenziger O., Steinlin M., Schenker K., Martin E., Boltshauser E. Haben Kinder mit Meningozele ohne Hydrozephalus und Shunt keine Arnold-Chiari-Fehlbildung. In: Köhler B., Keimer R.(eds) Aktuelle Neuropädiatrie 1991, Springer Verlag Berlin 1992; 298-301.
2. Mönkhoff M., Schmitt B., Wohlrab G., Waldvogel K., Fanconi S., Bänziger O. EEG-Veränderungen unter Inhalation mit Stickstoffmonoxid (NO) bei Kindern. In: Boltshauser E, Schmitt B., Steinlin M. (eds). Aktuelle Neuropädiatrie 1996, Novartis Pharma Verlag, Nürnberg 1997
3. Fanconi S, Baenziger O. Management of raised intracranial pressure in the pediatric patient. In Gaijls J. (eds). Baillière's Clinical Paediatrics. Bailliere Tindall, London 1998; 6: 79-93
4. Baenziger O., Waldvogel K. Monitoring in der Pädiatrie und Neonatologie. In: List Metzler, Pasch (eds) Monitoring in Anästhesie und Intensivmedizin. Springer Verlag, Heidelberg 2008
5. Waisman D, Baenziger O., Gall N. Hyperbaric Oxygen Therapy in Newborns, Infants and Pediatric Patients. In: Neuman and Thom (eds). Physiology and Medicine of Hyperbaric Oxygen Therapy. Saunders Elsevier, Philadelphia 2008; 95-116
6. Baumann-Hoelzle R, Waldvogel K, Staubli G, Magiore C, Baenziger O, Huber Y, Sennhauser F. „7 Schritte Dialog“ im Rahm des Ethik-Forums am Kinderspital Zürich . In Baumann-Hoelzle R and Arn C (eds) Ethiktransfer in Organisationen. EMH Schwabe, Basel 2009; 255-267

#### **ANDERE WISSENSCHAFTL PUBLIKATIONEN ( NICHT PEER REVIEWED):**

Baenziger O. Pädiatrische und neonatologische Intensivmedizin 2001. Schweiz Med Forum 2002; 2:18- 19

Schubiger G, Laubscher B, Baenziger O. Prophylaxie à la vitamine K chez le Nouveau-né: nouvelle recommandations. Schw. Aerztezeitung 2003; 84; 675-676